

In the Claims:

1-10. (Cancelled)

11. (Currently Amended) A compound ~~as claimed in claim 1~~ selected from :

4-(S)-Dimethylamino-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methanamide hydrochloride;  
4-(S)-Dimethylamino-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methanamide hydrochloride;  
4-(S)-(2-Fluoroethyl)-amino-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis)-trifluoromethyl-phenyl)-ethyl]-methanamide hydrochloride; and  
4-(S)-(2-Fluoro-ethylamino)-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methanamide hydrochloride.

12-14. (Canceled).

15. (Currently Amended) A pharmaceutical composition comprising a compound as claimed in claim 114 in a mixture with one or more pharmaceutically acceptable carriers or excipients.

16-24. (Canceled).

25. (New) A compound selected from:


4-(2,2-Dimethyl-propylamino)-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid, [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methanamide;  
4-Ethylamino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methanamide;  
4-Dimethylamino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methanamide;  
4-Dimethylamino-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methanamide;  
4-(2-Fluoroethyl)-amino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis)-trifluoromethyl-phenyl)-ethyl]-methanamide;  
4-(2-Fluoro-ethylamino)-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methanamide;

4-(N-2-Fluoroethyl-N-methylamino)-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid, (3,5-bis-trifluoromethyl-benzyl)-methylamide;  
2-(4-Fluoro-2-methyl-phenyl)-4-(2-methoxyethylamino)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methylamide;  
2-(4-Fluoro-2-methyl-phenyl)-4-methylamino-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methylamide;  
2-(4-Fluoro-2-methyl-phenyl)-4-methylamino-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methylamide;  
4-Amino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methylamide;  
4-Cyclobutylamino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methylamide;  
4-Cyclopropylamino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methylamide;  
4-Benzylamino-2-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methylamide;  
4-(N-2-Fluoroethyl-N-methylamino)-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid (3,5-bis-trifluoromethyl-benzyl)-methylamide;  
4-Cyclopropylamino-1-(4-fluoro-2-methyl-phenyl)-piperidine-2-carboxylic acid (3,5-dichloro-benzyl)-methylamide;  
4-Cyclopropylamino-1-(4-fluoro-2-methyl-phenyl)-piperidine-2-carboxylic acid [1-(R)-3,5-bis-trifluoromethyl-phenyl)-ethyl]-methylamide; and 4-(R,S)-(2,2,2-Trifluoroethyl)-amino-2-(R)-(4-fluoro-2-methyl-phenyl)-piperidine-1-carboxylic acid [1-(R)-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-methylamide hydrochloride; and  
diastereoisomers and acceptable pharmaceutical salts thereof.

26. (New) A pharmaceutical composition comprising a compound as claimed in claim 25 in a mixture with one or more pharmaceutically acceptable carriers or excipients.

27. (New) A method for the treatment of depressive states, anxiety, sleep disorder, schizophrenic disorders, emesis, inflammatory diseases of the bladder and /or gastrointestinal disorders.

28. (New) A process for the preparation of a compound as claimed in claim 25 by reductive N-alkylation of the compound of formula (II)




(II)

with an amine selected from 2,2,2-trifluoroethylamine, 2,2-dimethyl-propylamine, ethylamine, dimethylamine, 2-fluoroethylamine, 2-methoxyethylamine, methylamine, cyclopropylamine or cyclobutylamine or salts thereof

or


of the compound of formula (III)



(III)

with an amine selected from dimethylamine, 2-fluoroethylamine, methylamine, benzylamine and salts thereof,

or of the compound of formula (IV)




(IV)

with cyclopropylamine or a salt thereof,

or

of the compound of formula (V)




(V)

with cyclopropylamine or a salt thereof

or

by reaction of a compound of formula (VI)




(VI)

with methanesulphonyl chloride in the presence of triethylamine followed by treatment with sodium azide and then with triphenylphosphine

or

by reacting a compound of formula (VII)



(VII)

with formaldehyde in the presence of 10% palladium over charcoal and acetic acid;  
followed where necessary or desired by one or more of the following steps:

- i) removal of any protecting group;
  - ii) isolation of the compound as a salt or a solvate thereof;
- separation of a compound of formula (I) or salt or a solvate thereof into diastereoisomers thereof.